



NOTES :

1. AGRICULTURAL DRAIN TO BE MIN.300mm BELOW BOTTOM OF ROAD PAVEMENT WITH CLEARANCE TO ALL SERVICE CONDUITS.
2. SCREENINGS IN A.G. TRENCH TO BE 20mm ONE SIZE AND TO EXTEND TO BOTTOM OF KERB & CHANNEL.
3. CLASS 400 PIPE WITH FILTER SOCK TO BE USED AT BACK OF KERB OR IN NON-TRAFFICABLE AREAS AND BACKFILLED WITH 20mm SCREENINGS
4. CLASS 1000 PIPE WITH FILTER SOCK TO BE USED IN TRAFFICABLE AREAS AND BACKFILLED WITH NO-FINES CONCRETE
5. USE OF SCORIA SCREENINGS IS NOT PERMITTED

Amendments		
No.	Zone	Detail
		Initials
		Date
DRAWN : D. SALAZAR		
CHECKED : R. CHARTERS		
APPROVED : S. PLATER		
SCALE : 1 : 10		
ISSUE DATE: JUNE 2004		

 <p>HUME CITY COUNCIL</p> <p>PO Box 119 1079 Pascoe Vale Road Brookmans Road Victoria 3047</p> <p>Telephone (03) 9205 2200 Facsimile (03) 9309 0199</p>	TYPE :
	AGRICULTURAL DRAIN
	DRAWING NO:
	SD282