


## UPVC PIPE CONNECTOR DETAIL

- NOTES:
1. UPVC PIPE TO BE HEAVY DUTY DWV CLASS SN6
  2. HOUSE DRAIN TO BE TAKEN 300mm INTO THE PROPERTY LINE AND PROVIDE WITH MELB. WATER FITTING No 27A AT THE END.
  3. ALL HOUSE DRAIN CONNECTIONS TO BE MARKED ON KERB & CHANNEL AND FOOTPATH BY 50mm HIGH 'H.D.' LETTERS
  4. BACKFILL AROUND RISER AND PIPE TO BE 10 CRUSHED ROCK (LIQUID FILL)
  5. ALL JOINTS ON PVC PIPE TO BE SEALED WITH SOLVENT WELD CEMENT (TYPE N OR P), OR RUBBER RING JOINT.

Amendments			
No.	Detail	Initials	Date
1.	UPVC PIPE CLASS CHANGED TO NEW CODE	R.C.	Jan 05
2.	UPVC PIPE CONNECTOR	C.W.	Nov 09
DRAWN : CHALINI W.		CHECKED : GUS F.	
APPROVED : RAJIND D.		SCALE : 1 : 20	
ISSUE DATE: NOV 2009			



**HUME**  
CITY COUNCIL

PO Box 119  
1079 Pascoe Vale Road  
Brookmeadows  
Victoria 3047

Telephone  
03) 9205 2200

Focsinlle  
03) 9309 0109

TYPE :	DRAWING NO:
PROPERTY CONNECTION TO UNDERGROUND DRAIN IN ROAD RESERVE	SD290