



INDENTED STORAGE BAY FOR ONE BUS



INDENTED STORAGE BAY FOR TWO BUSES

ALL DIMENSIONS IN METRES.

200 THICK CONCRETE REINFORCED
WITH 2 LAYERS OF SL82 MESH.
(TOP AND BOTTOM; 40 CLEAR COVER)



150mm LAYER OF COMPACTED
3% CEMENT TREATED CLASS 3 FCR

CROSS SECTION - NTS

NOTES:

1. CONCRETE STRENGTH 25MPa AT 28 DAYS.
2. SAW CUT WEAKENED PLANE JOINTS TO A DEPTH OF 30, 2 DAYS AFTER POURING.
3. FOR JOINT DETAILS REFER TO STD. DRAWING No. SD306.

Amendments				
No.	Zone	Detail	Initials	Date
1.		Mesh Codes Changed.	R.C.	July 06

DRAWN :	D. SALAZAR
CHECKED :	D. SALAZAR
APPROVED :	S. PLATER
SCALE :	N.T.S.
ISSUE DATE:	JUNE 2004



PO Box 119
1079 Pascoe Vale Road
Broadmeadows
Victoria 3047

Telephone
03) 9205 2200

Facsimile
03) 9309 0109

TYPE :

INDENTED STORAGE BUS BAY

DRAWING NO:

SD308